


|   |                               |                            |
|---|-------------------------------|----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                            |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>1 out of 34 |

## 1 OBJECT

The purpose of this document is to set out the conditions to be fulfilled for the use and application of the Certification logo of the Conformity Marks for products, processes and services, in order to eliminate risks that may lead to an incorrect interpretation by the interested parties and the general public.

## 2 SCOPE

It is applicable for Conformity Marks of the certification of products, processes and services exclusively owned by IRAM, IRAM-INTI and IRAM-AITA.

## 3 REFERENCE DOCUMENTS

**DC-R 001** – “IRAM Certification of Conformity Agreement for Products, Processes and Services”.

**IRAM-ISO/IEC 17065** – “Conformity Assessment – Requirements for Bodies certifying Products, Processes and Services”.

**IRAM-ISO/IEC 17030** – “Conformity Assessment - General requirements for third-party marks of conformity”.

**ISO/IEC 17029** – “Conformity Assessment - General Principles and Requirements for validation and verification bodies”.

**ISO 14065** – “Greenhouse Gases” – Requirements for greenhouse gas validation and verification bodies for use in accreditation or other forms of recognition.

Documents from the OAA (“Organismo Argentino de Acreditación”: Argentine Accreditation Body).

Applicable Mandatory Resolutions.

## 4 DEFINITIONS AND ABBREVIATIONS

**B/W:** Black and White

**Disclosure of certification:** means making the certification status available to the public.

**Certification Documents (License or Certificate):** Formal documentation of the certification granted that indicates the scope thereof.

**Verification Statement:** Formal written statement addressed to the intended user, which provides guarantee of what is stated in the environmental footprint report (GHG Statement, Water Footprint Report, environmental product declaration).

|   |                               |                            |
|---|-------------------------------|----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                            |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>2 out of 34 |

**Standard.** Document studied and published by a Standardization Body, according to its Regulations, for the study of standards. Standards with a mixed acronym are also included under this name.

**Regulatory Document.** It is a document prepared by the interested parties, available to the public, to be used for certification purposes, which establishes the requirements, rules, directives, specifications or characteristics for the evaluation activities and their results regarding a product, process or service.

*Note: The expression "regulatory document" is a generic term that comprises documents such as technical specifications, codes of practice and regulations.*

**Enforcement Authority.** Government agency, owner of the certification scheme, in charge of controlling and monitoring compliance with the regulated regimes.

## 5 PROCEDURE


The provisions set forth in this document are complementary to those included in the **IRAM Certification of Conformity Agreement for Products, Processes and Services (DC-R 001)**.

IRAM shall in all cases audit the certification disclosure and the use of logos of the schemes mentioned in the scope of this procedure in all inspection activities. Corrections and the corrective action plan for any non-conformity associated with the use of the logos must be submitted within the deadlines stipulated for the category of the deviation.

This document is subject to periodic reviews to ensure it is updated and improved, and in cases where there are changes, all those who have current certificates and are affected by such changes shall be kept informed of the new version at the discretion of the IRAM Executive Committee.

### 5.1 General Terms

- 5.1.1 The size, color, proportion, order and information and other design elements contained in the certification logo must be done according to this procedure and to the type of certification granted, which can be found in the certification document provided.
- 5.1.2 In case it is not possible to label it in this way and a modification is deemed necessary, the approval of such modification must be requested to IRAM, attaching the graphic support of said change and how the logo would be displayed.
- 5.1.3 No advertising of the logo is allowed in those cases where the certification has been suspended or cancelled by IRAM according to agreement DC-R 001.
- 5.1.4 It is not permitted to make use in any form (e.g.: on products, packaging, stationery, advertising, etc.) of the logos of any accreditation body to which IRAM is accredited. Neither is it allowed to use information indicating that the product, process or service has been approved by the accreditation body.

|   |                               |                            |
|---|-------------------------------|----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                            |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>3 out of 34 |

**5.1.5** IRAM inspectors/verifiers shall verify the provisions set forth in this procedure during the course of the inspections, and the findings shall be recorded in the report for the Organization to take the appropriate corrective actions.

**5.1.6** The requirements set forth herein have the same treatment as the requirements set forth in the IRAM certification agreement for Conformity of Products, Processes and Services (DC-R 001), as applicable. Failure to comply therewith shall be subject to penalties.

**5.1.7** Statement by the Licensee or Holder must be consistent with the scope of the certification document.

**5.2** Considerations for conformity mark of product only.

**5.2.1** The product label with the logos defined in this procedure is mandatory for all products within the scope of the certification, with the exception of those products that, due to their presentation, size or finish, cannot be certified. However, IRAM must be informed about these cases as soon as they are identified.

**5.2.2** In case the organization has a plant that produces the same product brand and/or references, the authorized plants must identify the plant from which it comes on the product or on its packaging, in order to identify the product and provide the consumer with truthful information.

**5.2.3** IRAM shall in all cases audit the certification disclosure and the use of logos from the schemes mentioned within the scope of certification with respect to this procedure during inspections. Corrections and the corrective action plan for any deviation associated with the use of the logos must be submitted within the deadlines stipulated for the category of the deviation.


**5.3** Considerations for the conformity mark for processes and services.

If the product, as such, has not been certified, the logo symbol of the conformity mark of the certification for services and processes cannot be labeled on the product resulting from such processes or services.


**5.4** Logo symbols of the product, process and service certifications offered by IRAM:



**5.4.1 IRAM CERTIFICATION FOR ELECTRICAL-ELECTRONIC PRODUCTS**


**5.4.1.1** IRAM Certification of Electrical and Electronic Products established in Resolution No. 169/2018 of the Argentine Secretariat of Commerce and the Safety Mark of the Argentine Republic granted by the Enforcement Authority according to Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining according to system No. 5 (Conformity Mark), No. 4 (Type Certification with traceability) and No. 7 (Batch Conformity) of Mercosur Resolution No. 19/92:

|   |                               |                            |
|---|-------------------------------|----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                            |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>4 out of 34 |

|   |   |
|---|---|
|    | <p><b>IRAM Conformity Mark for products, according to IRAM Standard and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, that identifies the products under IRAM standard together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions, under the Certification Document.</p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> <p><u>Application of Safety Mark of the Argentine Republic:</u><br/>- positive color B/W and negative B/W for any background.</p>  |
|  | <p><b>IRAM Conformity Mark for Certification of the Manufacture of products with a Regulatory Document and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, that identifies the products under a Regulatory Document together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions, under the Certification Document granted.</p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> <p><u>Application of Safety Mark of the Argentine Republic:</u><br/>- positive color B/W and negative B/W for any background.</p> |
|  | <p><b>IRAM Safety Mark for products in compliance with IRAM Standard or a Regulatory Document and the Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, that identifies the products under IRAM Standard or Regulatory Document together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions, under the granted Certification Document.</p> <p><u>Application of IRAM Safety Mark:</u><br/>- Positive B/W version and negative B/W version for any background.</p> <p><u>Application of Safety Mark of the Argentine Republic:</u><br/>- Positive B/W version and negative B/W version for any background.</p>   |


|   |                               |                            |
|---|-------------------------------|----------------------------|
|  <p>Instituto Argentino de Normalización y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for Products, Processes and Servicios</b>  |                               |                            |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>5 out of 34 |

|  |  |
|--|--|
|   | <p><b>Safety Mark of the Argentine Republic of Type Certificate.</b></p> <p><u>Certification System No. 4</u><br/>Distinctive mark, granted by the Enforcement Authority as established in the applicable Resolutions and Provisions, which identifies the products under IRAM standard or Regulatory Document, subject to the Certification Document granted.</p> <p><u>Application of the Safety Mark of the Argentine Republic of Type Certificate:</u><br/>- positive color B/W version and negative B/W version for any background.</p>   |
|  | <p><b>Stamp with the Safety Mark of the Argentine Republic for Batch Certification.</b></p> <p><u>Certification System No. 7</u><br/>Distinctive stamp, granted by IRAM, that identifies with a correlative number the products under the Certification Document awarded, with the Safety Mark granted by the Enforcement Authority as established in the applicable Resolutions and Provisions, with a correlative number. Each stamp, with its exclusive number, is delivered by IRAM and must be affixed to each certified product. The number of the stamps can be found in the Certification Document as proof of certification.</p>  |
| <p>&lt;IRAM MARK&gt;</p> <p>&lt;SC MARK&gt;</p>                                    | <p><b>Text string of IRAM Conformity Mark for products in compliance with IRAM Standard and Safety Mark of the Argentine Republic.</b></p> <p><u>Certification System No. 5</u><br/>Text string, granted by IRAM, under the IRAM standard together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions, subject to the Certification Document.</p> <p><u>Application of the Text String of IRAM Mark and Safety Mark of the Argentine Republic on the certified product:</u><br/>- It is applicable to the certified product when it is not possible to mark the certified product(s) with the IRAM Mark and the Secretariat Mark, such as: cable, pipes, etc.</p> <p><u>Application of IRAM Mark and the Safety Mark of the Argentine Republic on the primary package of the certified product:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u><br/>- positive color B/W version and negative B/W version for any background.</p> |
| <p>&lt;IRAM CONFORMITY MARK&gt;</p> <p>&lt;SC MARK&gt;</p>                         | <p><b>Text string of IRAM Mark in compliance with a Regulatory Document with IEC standard and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Text string, granted by IRAM, under the IEC standard together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions, subject to the Certification Document</p> <p><u>Application of the Text String of IRAM Mark and Safety Mark of the Argentine Republic on the certified product:</u><br/>- It is applicable to the certified product when it is not possible to mark the certified</p>   |

|   |                               |                            |
|---|-------------------------------|----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                            |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>6 out of 34 |

|  |   |
|--|---|
|  | <p><i>product(s) with the IRAM Mark and the Secretariat Mark, such as: cable, pipes, etc.</i></p> <p><u>Application of IRAM's Mark and Safety Mark of the Argentine Republic on the primary packaging of the certified product:</u></p> <p>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo, with the possibility of applying it in its positive B/W version and negative B/W for complex backgrounds or non-institutional colors.</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u></p> <p>- positive color B/W version and negative B/W version for any background.</p> |
|--|---|

|   |   |
|---|---|
| <p>&lt;IRAM SAFETY MARK&gt;<br/>&lt;SC MARK&gt;</p> | <p><b>Text string of the IRAM Safety Mark of Conformity with IRAM Standard or with Regulatory Document and Safety Mark of the Argentine Republic.</b></p> <p><u>Certification System No. 5</u><br/>Text string, granted by IRAM, that identifies the products under IRAM standard or Regulatory Document together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions, subject to the Certification Document granted.</p> <p><u>Application of the text chain of the IRAM Safety Mark and of the Safety Mark of the Argentine Republic on the certified product:</u></p> <p>- It is applicable to the certified product when it is not possible to mark the certified product(s) with the IRAM Mark and the Secretariat Mark, such as: cable, pipes, etc:</p> <p><u>Application of IRAM Safety Mark and of the Safety Mark of the Argentine Republic on the primary packaging of the certified product:</u></p> <p>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u></p> <p>- positive color B/W version and negative B/W version for any background.</p> |
|---|---|

|  |                               |                            |
|--|-------------------------------|----------------------------|
|  Instituto Argentino<br>de Normalización<br>y Certificación | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>                                       |                               |                            |
| <b>Revision</b><br>05  | <b>Date</b><br>February 2021  | <b>Page</b><br>7 out of 34 |



#### 5.4.2 IRAM CERTIFICATION FOR ENERGY EFFICIENCY LABELLING OF ELECTRICAL AND ELECTRONIC PRODUCTS

5.4.2.1 IRAM Conformity Mark applied to Energy Efficiency under the requirements of the corresponding IRAM Standard and the deviations established in Resolution No. 319/99 of the Argentine Secretariat of Industry, Commerce and Mining, its supplements and amendments, according to system No. 5 (Conformity Mark) of Mercosur Resolution No. 19/92:

The design, form and colors of the label/s found in the IRAM efficiency Standard applicable to the product and/or in the corresponding Resolution, as well as the values determined in the license of the granted Certification Document must be used.

The size is defined by the applicable standard and the deviations established in the applicable regulations.


Example:

| Energía  |  | Acondicionador de aire   |
|--|--|--|
| Marca comercial:<br>Modelo unidad interior<br>Modelo unidad exterior   |  |  |
| Más eficiente<br><br>Menos eficiente  |  |  |
| Consumo de energía anual, kWh en modo refrigeración<br><small>(El consumo efectivo, depende de clima y del uso del aparato)</small><br>Potencia de refrigeración kW<br>Índice de eficiencia energética<br><small>Carga completa (c.a.a.m. mayor = 18,0°)</small> |  |  |
| Tipo Sólo refrigeración ---<br>Refrigeración/calefacción ---   |  |  |
| Potencia de calefacción kW<br>Clase de eficiencia energética en modo calefacción<br>Acumulado de energía de menos eficiente  |  |  |
| Ruido dB(A) re 1 pW  |  |  |
| <small>Fecha de información actualizada en las etiquetas del producto</small>  |  |  |
| IRAM 62406   |  | <small>Norma IIR 2100</small><br> |

Mark design details...







|   |                               |                            |
|---|-------------------------------|----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                            |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>8 out of 34 |

#### 5.4.3 IRAM CERTIFICATION OF NEW BICYCLES FOR ADULTS


- 5.4.3.1** IRAM Certification for New Bicycle for Adults products established in Resolution No. 220/2003 of the Argentine Secretariat of Industry, Commerce and Small and Medium Enterprises according to system No. 5 (Conformity Mark) of Mercosur Resolution No. 19/92:

|  |  |
|--|--|
|  | <p><b>IRAM Conformity Mark for products in compliance with IRAM Standard</b><br/>(The batch number shown in the image is used only as an example)</p> <p><u>Certification System No. 5</u><br/>Distinctive stamp, delivered by IRAM, which identifies the New Bicycles for Adults under IRAM Standard, as established in Resolution No. 220/2003 of the Argentine Secretariat of Industry, Commerce and Small and Medium Enterprises, subject to the Certification Document under IRAM Standard.<br/>This stamp, with its exclusive numbering, must be requested to IRAM by the Licensee, with an anticipation of no less than 30 days so as not to cause delays in its commercialization.<br/>Once the stamps have been paid by Licensee, they must be affixed by on each new certified bicycle for adults.</p> |
|--|--|

- 5.4.3.2** IRAM Certification for New EPAC (Electrically Powered Assisted Cycles) Bicycles established in Resolution No. 220/2003 of the Secretariat of Industry, Commerce and Small and Medium Enterprises, and Disposition S.C. E No. 28/2017 -according to system No. 5 (Conformity Mark)- of Mercosur Resolution No. 19/92:


|   |   |
|---|---|
|  | <p><b>IRAM Conformity Mark for products in accordance with IRAM Standard</b><br/>(The batch number shown in the image is used only as an example)</p> <p><u>Certification System No. 5</u><br/>Distinctive stamp, delivered by IRAM, which identifies the New <b>Electrically Powered Assisted Bicycles</b> for Adults under IRAM Standard, as established in <b>Resolution No. 220/2003 of the Argentine Secretariat of Industry, Commerce and Small and Medium Enterprises</b>, and Disposition S.C. E No. 28/2017 subject to the Certification Document under IRAM Standard.<br/>This stamp, with exclusive numbering, must be requested to IRAM with an anticipation of no less than 30 days so as not to cause delays in its commercialization.<br/>Once the stamps have been paid by Licensee, they must be affixed on each new certified bicycle for adults.</p> |
|---|---|




|   |                               |                            |
|---|-------------------------------|----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>           |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                            |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>9 out of 34 |

#### 5.4.4 IRAM CERTIFICATION OF NEW BICYCLES FOR CHILDREN



- 5.4.4.1** IRAM Certification for Children's Bicycle products established in the Resolution No. 91/2004 of the Argentine Technical Coordination Secretariat, and the Safety Mark of the Argentine Republic granted by the Enforcement Authority according to Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining, according to system No. 5 (Conformity Mark) of Mercosur Resolution No. 19/92:


|  |   |
|--|---|
|  | <p><b>IRAM Conformity Mark for products in compliance with a Regulatory Document and Safety Mark of the Argentine Republic</b><br/>(The batch number shown in the image is used only as an example)</p> <p><u>Certification System No. 5</u><br/>Distinctive stamp, delivered by IRAM, which identifies the Bicycles for Children under a Regulatory Document together with the Safety Mark granted by the Enforcement Authority as established in the Resolution No. 91/2004 of the Argentine Technical Coordination Secretariat and Dispositions covered by the Certification Document granted.<br/>This stamp, with exclusive numbering, must be requested to IRAM with an anticipation of no less than 30 days so as not to cause delays in its commercialization.<br/>Once the stamps have been paid by Licensee, they must be affixed on each new certified Bicycle for Children.</p> |
|--|---|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>10 out of 34 |

#### 5.4.5 IRAM CERTIFICATION OF LIGHTERS


- 5.4.5.1** IRAM certification for Lighters established in the Resolution No. 77/2004 of the Argentine Technical Coordination Secretariat, and the Safety Mark of the Argentine Republic granted by the Enforcement Authority as per Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining according to system No. 5 (Conformity Mark) and system No. 7 (Batch Certification) of Mercosur Resolution No. 19/92:


|   |  |
|---|--|
|   | <p><b>IRAM Conformity Mark for products in compliance with IRAM Standard and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive stamp, delivered by IRAM, which identifies the products under IRAM Standard together with the Safety Mark granted by the Enforcement Authority as established in the Resolution No. 77/2004 of the Argentine Technical Coordination Secretariat as per the Certification Document granted and Resolution 26/2007 on Commercial Loyalty. This stamp, with exclusive numbering, must be requested to IRAM with an anticipation of no less than 30 days so as not to cause delays in its commercialization. Once the stamps have been paid by Licensee, they must be affixed on each lighter.</p> <p><i>Each stamp, with its exclusive number, is delivered by IRAM and must be affixed on each certified product.</i></p>  |
|  | <p><b>IRAM Certification of Batch Conformity for products in compliance with IRAM Standard and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 7</u><br/>Distinctive stamp, delivered by IRAM, which identifies the products under IRAM Standard together with the Safety Mark granted by the Enforcement Authority as established in Resolution No. 77/2004 of the Argentine Technical Coordination Secretariat as per the Certification Document granted and Resolution 26/2007 on Commercial Loyalty. This stamp, with exclusive numbering, must be requested to IRAM with an anticipation of no less than 30 days so as not to cause delays in its commercialization. Once the stamps have been paid by the holder of the IRAM Certification of Batch Conformity, they must be affixed on each lighter.</p> <p><i>Each stamp, with its exclusive number, is delivered by IRAM and must be affixed on each certified product. The number of the stamps can be found in the Certification Document as proof of certification.</i></p> |

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>11 out of 34 |

#### 5.4.6 IRAM CERTIFICATION OF PLYWOOD PRODUCTS

- 5.4.6.1** IRAM Certification of Plywood Products established in Resolution 900E/2017 of the Argentine Secretariat of Commerce and in the Safety Mark of the Argentine Republic granted by the Enforcement Authority according to Resolution 799 of the Argentine Secretariat of Industry, Commerce and Mining, according to system 5 (Conformity Mark):


|   |   |
|---|---|
|  | <p><b>IRAM Conformity Mark for products in compliance with IRAM Standard and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, which identifies the products under IRAM Standard together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions subject to the Certification Document granted.</p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u><br/>- positive color B/W version and negative B/W version for any background.</p> |
|---|---|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino de Normalización y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>12 out of 34 |


#### 5.4.7 IRAM CERTIFICATION FOR PERSONAL PROTECTION ELEMENTS

5.4.7.1 IRAM Certification for products of Personal Protection Elements Products established in Resolution No. 896/1999 of the Argentine Secretariat of Industry, Commerce and Mining and the Safety Mark of the Argentine Republic granted by the Enforcement Authority according to Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining according to system No. 5 (Conformity Mark) and system No. 7 (Batch Conformity) of Mercosur Resolution No. 19/92:

|   |  |
|---|--|
|   | <p><b>IRAM Conformity Mark for products in compliance with IRAM Standard and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, which identifies the products under IRAM Standard together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions subject to the Certification Document granted.</p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u><br/>- positive B/W and negative B/W color versions for any background.</p>   |
|  | <p><b>Argentina. IRAM Conformity Mark for products in compliance with a Regulatory Document and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, which identifies the products under a Regulatory Document together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions subject to the Certification Document granted.</p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u><br/>- positive B/W and negative B/W color versions for any background.</p> |
|  | <p><b>IRAM Batch Certification Stamp with IRAM Standard or a Regulatory Document and Safety Mark of the Argentine Republic.</b><br/>(The batch number shown in the image is used only as an example)</p> <p><u>Certification System No. 7</u><br/>Distinctive stamp, delivered by IRAM, which identifies with an exclusive number, the products included in a batch under the IRAM Standard or Regulatory Document together with the Safety Mark granted by the Enforcement Authority as established in the Resolution No. 896/1999 of</p>   |

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>13 out of 34 |


|  |   |
|--|---|
|  | <p>the Argentine Secretariat of Industry, Commerce and Mining subject to the Certification Document granted.</p> <p><i>Each stamp, with its exclusive number, is delivered by IRAM and must be affixed on each certified product. The number of the stamps can be found in the Certification Document as proof of certification</i></p> |
|--|---|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>14 out of 34 |

#### 5.4.8 IRAM SAFETY CERTIFICATION FOR TOYS (IN THE REGULATED AREA)



**5.4.8.1** IRAM Safety Certification for Toys established in the Resolution No. 163/2005 of the Argentine Technical Coordination Secretariat and the Safety Mark of the Argentine Republic granted by the Enforcement Authority according to Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining according to system No. 5 (Conformity Mark), system No. 4 (Type Certification with traceability) and No. 7 (Batch Conformity) of Mercosur Resolution No. 19/92:

|   |   |
|---|---|
|    | <p><b>IRAM Conformity Mark for products in compliance with a Regulatory Document and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, which identifies the products under a Regulatory Document together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions subject to the Certification Document granted.</p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u><br/>- positive B/W and negative B/W color versions for any background.</p> |
|  | <p><b>Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 4</u><br/>Distinctive mark, granted by the Enforcement Authority as established in Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining, which identifies products under IRAM Standard or Regulatory Document, subject to the Certification Document granted.</p> <p><u>Application of the Safety Mark of the Argentine Republic of Type Certification:</u><br/>- positive B/W and negative B/W color versions for any background.</p>  |
|  | <p><b>IRAM Batch Certification Stamp with IRAM Standard or Regulatory Document and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 7</u><br/>Distinctive stamp, delivered by IRAM, which identifies with an exclusive number, the products included in a batch under the IRAM Standard or Regulatory Document together with the Safety Mark granted by the Enforcement Authority as established in the Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining subject to the Certification Document granted.</p> <p><i>Each stamp, with its exclusive number, is delivered by IRAM and must be affixed on each certified product. The number of the stamps can be found in the Certification Document as proof of certification.</i></p>  |


|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>15 out of 34 |

#### 5.4.9 IRAM SAFETY CERTIFICATION FOR TOYS (IN THE VOLUNTARY FIELD)

**5.4.9.1** IRAM Safety Certification for Toys according to system No. 5 (Conformity Mark), system No. 2 (Type Certification with traceability) and No. 1b (Batch Conformity) of ISO/IEC 17067 Standard:

|   |  |
|---|--|
|    | <p><b>IRAM Mark for products, processes and services in compliance with Regulatory Document</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, which identifies the products, processes and services under the Certification Document awarded subject to a Regulatory Document.</p> <p><i>The standard and its number (IRAM 3000) must be placed in "XX XXX". The font to write the standard and its number must be "Arial Bold" or "Bold". The separation between the mark and the wording shall be equal to the height of the font used. The text must be centered with respect to the mark.</i></p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> |
|   | <p><u>Certification System No. 2</u><br/>No identification is made on the certified product under this scheme.</p>   |
|  | <p><b>IRAM Batch Certification Stamp with IRAM Standard or Regulatory Document and Safety Mark of the Argentine Republic</b></p> <p><u>Certification System No. 7</u><br/>Distinctive stamp, delivered by IRAM, which identifies with an exclusive number the products included in a batch under the IRAM Standard or Regulatory Document.</p> <p><i>Each stamp, with its exclusive number, is delivered by IRAM and must be affixed on each certified product. The number of the stamps can be found in the Certification Document as proof of certification.</i></p>   |



|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>16 out of 34 |



#### 5.4.10 IRAM SAFETY CERTIFICATION FOR CHILDCARE ARTICLES AND TOYS


**5.4.10.1** IRAM Safety Certification for Childcare Articles and Toys established in Resolution No. 583/2008 of the Argentine Ministry of Health according to system No. 1b (Batch Certification) of the ISO/IEC 17067 Standard:



The wording “LIBRE DE FTALATOS” (FREE OF PHTHALATES) or a similar wording implying the same, must be added by order of the Customs authorities.


#### 5.4.11 IRAM-AITA CERTIFICATION FOR REPLACEMENT AUTO PARTS

**5.4.11.1** IRAM-AITA Certification for the Replacement Auto Parts described in Resolution No. 166/2019 of the Argentine Secretariat of Industry, its supplements and amendments, according to system No. 5 (Conformity Mark) of Mercosur Resolution No. 19/92:

|  |   |
|--|---|
|  <p>XX XXXX</p>  | <p><b>IRAM-AITA Conformity Mark for Auto Parts Products in compliance with IRAM-AITA Standard</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM-AITA, which identifies the Replacement Auto Parts under the IRAM-AITA Standard together with the CHAS number granted by the Secretariat of Industry as per Resolution No. 166/2019 of the Secretariat of Industry, its supplements and amendments, in accordance with the Certification Document granted.</p> <p><i>The standard and its number (example: IRAM-AITAA0010) must be placed in "XX XXX". The font to write the standard and its number must be "Arial Bold" or "Bold". The separation between the mark and the wording shall be equal to the height of the font used. The text must be centered with respect to the mark.</i></p> <p><u>Application of IRAM-AITA Mark:</u></p> <ul style="list-style-type: none"> <li>- IRAM Logo: color (Pantone 308 CVC) on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> <li>- AITA Logo: color (Pantone Reflex Blue and gray is 60% black) on different backgrounds shall be ruled by the directives of the institutional logo, there being the possibility of applying it in its B/W positive version and negative B/W for complex backgrounds or non-institutional colors.</li> <li>- "Sistema de Certificación Conjunta" (Joint Certification System) Contour: color B/W positive version.</li> </ul> <p><u>Application of "C.H.A.S." (Certificado de Homologación de Autoparte de Seguridad: Safety Auto Parts Homologation Certificate) label</u><br/><i>The "C.H.A.S." label must be applied on the product or, if not possible, on the package containing the product. This label must be completed with the "C.H.A.S." Registration number delivered by the Secretariat of Industry at the Licensee's request, once certification has been granted, the IRAM-AITA Certificate number issued by IRAM and the number of the applicable IRAM-AITA standard.</i></p> |
|--|---|


|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>17 out of 34 |


|   |  |
|---|--|
| <br><br> | <p><b>IRAM-AITA Conformity Mark for Auto Part Products in compliance with a Regulatory Document</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM-AITA, which identifies the Replacement Auto Parts under Regulatory Document together with the CHAS number granted by the Secretariat of Industry according to the Resolution No. 166/2019 of the Secretariat of Industry, its supplements and amendments, subject to the Certification Document granted.</p> <p><i>The standard and its number (example: IRAM-AITAA0010) must be placed in "XX XXX". The font to write the standard and its number must be "Arial Bold" or "Bold". The separation between the mark and the wording shall be equal to the height of the font used. The text must be centered with respect to the mark.</i></p> <p><u>Application of IRAM-AITA Conformity Mark:</u></p> <ul style="list-style-type: none"> <li>- IRAM Logo: color (Pantone 308 CVC) on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> <li>- AITA Logo: color (Pantone Reflex Blue and gray is 60% black) on different backgrounds shall be ruled by the directives of the institutional logo, there being the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</li> <li>- "Sistema de Certificación Conjunta" (Joint Certification System) Contour: color B/W positive.</li> <li>- Frame: IRAM logo: color (Pantone 308 CVC) on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional color.</li> </ul> <p><u>Application of "C.H.A.S." label</u><br/>The "C.H.A.S." label must be applied on the product or, if not possible, on the package containing the product. This label must be completed with the "C.H.A.S." Registration number delivered by the Secretariat of Industry at the Licensee's request, once certification has been granted, the IRAM-AITA Certificate number issued by IRAM and the number of the applicable IRAM-AITA standard.</p> |
|---|--|

|  |                               |                             |
|--|-------------------------------|-----------------------------|
|  Instituto Argentino<br>de Normalización<br>y Certificación | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>                                       |                               |                             |
| <b>Revision</b><br>05  | <b>Date</b><br>February 2021  | <b>Page</b><br>18 out of 34 |

#### 5.4.12 IRAM CERTIFICATION FOR STEEL PRODUCTS TO BE USED IN CONCRETE STRUCTURES AND METALLIC STRUCTURES FOR CONSTRUCTION

5.4.12.1 IRAM Certification for Steel products to be used in Concrete Structures and Metallic Structures for Construction described in Resolution No. 404/99 of the Argentine Secretariat of Industry, Commerce and Mining and the Safety Mark of the Argentine Republic granted by the Enforcement Authority according to Resolution No. 799/99 of the Secretariat of Industry, Commerce and Mining as per system No. 5 (Conformity Mark) of Mercosur Resolution No. 19/92:


|  |   |
|--|---|
|  | <p><b>IRAM Conformity Mark for Steel Products in compliance with IRAM Standard</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, that identifies the Steel products to be used in the Concrete Structures and in the Metallic Structures in Construction under IRAM Standard together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions, subject to the Certification Document</p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u><br/>- positive B/W and negative B/W color versions for any background.</p> |
|--|---|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>19 out of 34 |

#### 5.4.13 IRAM-INTI CERTIFICATION FOR STEEL PRODUCTS TO BE USED IN CONCRETE AND METALLIC STRUCTURES IN CONSTRUCTION


**5.4.13.1** IRAM-INTI Certification for the Steel products to be used in the Concrete Structures and in the Metallic Structures for Construction described in Resolution No. 404/99 of the Argentine Secretariat of Industry, Commerce and Mining, and the Safety Mark of the Argentine Republic granted by the Enforcement Authority according to Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining according to system No. 5 (Conformity Mark) of Mercosur Resolution No. 19/92:


|  |   |
|--|---|
|  | <p><b>IRAM-INTI Conformity Mark for Steel products in compliance with IRAM Standard</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM-INTI, which identifies the Steel products to be used in the Concrete Structures and in the Metallic Structures in Construction under IRAM Standard together with the Safety Mark granted by the Enforcement Authority as established in the Resolutions and Provisions, subject to the Certification Document.</p> <p><u>Application of IRAM-INTI Mark:</u><br/>- Interior of the IRAM-INTI Mark: color (blue/light blue Pantone 308 CVC2) on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.<br/>- "Sistema de Certificación Conjunta" (Joint Certification System) contour: Letters in 100% Black (CMYK 0-0-0-100) on 30% Gray (CMYK 0-0-0-30).</p> <p><u>Application of the Safety Mark of the Argentine Republic:</u><br/>- positive B/W and negative B/W color versions for any background.</p> |
|--|---|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>20 out of 34 |

#### 5.4.14 IRAM CERTIFICATION OF CONFORMITY FOR GOOD AGRICULTURAL PRACTICES


##### 5.4.14.1 IRAM Certification in accordance with Good Agricultural Practices:


|  |  |
|--|--|
|  <p><b>BUENAS<br/>PRÁCTICAS<br/>AGRÍCOLAS</b></p> <p>DC/QABA-00000000</p> <p>XXXXXXXX</p> | <p><b>IRAM Certification Mark for Good Agricultural Practices Conformity</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the products covered by the Certification Document comply with the applicable standard of Good Agricultural Practices.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –as shown in the Certification Document- where it says "DC/QABA-00000000";</li> <li>- the name of the standard, number and year of validity (e.g.: IRAM 314:2015) –as shown in the granted Certification Document- where it says "XXXXXXXX". Separation between the IRAM mark and the text shall be equal to the height of the font used. The text of the standard must be centered with respect to the mark</li> </ul> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> </ul> |
|--|--|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>21 out of 34 |

#### 5.4.15 IRAM CONFORMITY CERTIFICATION FOR GOOD MANUFACTURE PRACTICES


##### 5.4.15.1 IRAM Conformity Certification for Good Manufacture Practices:

|  |  |
|--|--|
|  <p><b>INOCUIDAD<br/>ALIMENTARIA<br/>BPM</b></p> <p>DC/QAB-00000000</p> <p>XXXXXXXX</p> | <p><b>IRAM Conformity Certification Mark for Good Manufacture Practices (BPM in Spanish)</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the food elaborated, subject to the Certification Document, complies with the applicable standards of Good Manufacture Practices.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –as shown in the Certification Document- where it says "DC/QAB-00000000";</li> <li>- the name of the standard, number and year of validity (e.g.: IRAM NM 324:2010) –as shown in the granted Certification Document- where it says "XXXXXXXX". Separation between the IRAM mark and the text shall be equal to the height of the font used. The text of the standard must be centered with respect to the mark.</li> </ul> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> </ul> |
|--|--|


|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>22 out of 34 |

**5.4.16 IRAM CERTIFICATION OF CONFORMITY WITH INTEGRATED PEST MANAGEMENT (IPM, or MIP in Spanish)**

**5.4.16.1 IRAM Certification of Conformity with Integrated Pest Management:**


|   |  |
|---|--|
|  <p><b>MANEJO<br/>INTEGRADO<br/>DE PLAGAS</b></p> <hr/> <p>XXXXX<br/>Categoría: YYYYYY</p> | <p><b>IRAM Mark of Conformity Certification on the Integrated Pest Management</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the Organizations subject to the Certification Document comply with the applicable standard on Integrated Pest Management.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the category shown in the Certification Document granted, where it says "YYYYY". The text of the standard must be centered with respect to the mark.</li> </ul> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> |
|---|--|



|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino de Normalización y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>23 out of 34 |

#### 5.4.17 IRAM CERTIFICATION OF CONFORMITY FOR VEGAN PRODUCTS


##### 5.4.17.1 IRAM Certification of Conformity for Vegan Products:

|   |  |
|---|--|
|  | <p><b>IRAM Conformity Mark for Vegan Products</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the foods elaborated which are subject to the Certification Document comply with the requirements of the regulatory document applicable to the Vegan Products.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number -shown in the Certification Document granted- where it says "XXXXXX".</li> </ul> <p>The certificate number must be centered with respect to the mark.</p> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- Green on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</li> </ul> |
|---|--|

#### 5.4.18 IRAM CERTIFICATION OF CONFORMITY FOR VEGETARIAN PRODUCTS


##### 5.4.18.1 IRAM Certification of Conformity for Vegetarian Products:


|   |   |
|---|---|
|  | <p><b>IRAM Certification of Conformity Mark for Vegetarian Products</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the foods elaborated which are subject to the Certification Document comply with the requirements of the regulatory document applicable to the Vegetarian Products.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number -shown in the Certification Document granted- where it says "XXXXXX".</li> </ul> <p>The certificate number must be centered with respect to the mark.</p> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- Green on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</li> </ul> |
|---|---|


|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>24 out of 34 |



#### 5.4.19 IRAM CERTIFICATION OF CONFORMITY WITH GOOD ENVIRONMENTAL PRACTICES


##### 5.4.19.1 IRAM Certification of Conformity with ISO standards on environmental footprints:

|  |  |
|--|--|
|  <p style="text-align: center;">RI: 14046 - 0000</p> | <p><b>IRAM Conformity Certification Mark for the Water Footprint Report</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the product water footprint has been verified, complying with the applicable requirements of ISO 14046 on Water Footprint</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must indicate:</p> <ul style="list-style-type: none"> <li>- the certificate number –which number can be found in the verification statement of the water footprint- where it says "0000". (Example: RI: 14046 – 012).</li> </ul> <p>Separation between the IRAM mark and the text shall be equal to the height of the font used. The text of the standard must be centered with respect to the mark.</p> <p><u>Application of IRAM Mark:</u><br/>- Green (Pantone) on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</p> |
|--|--|

|   |  |
|---|--|
|  <p style="text-align: center;">RI: 14067 - 0000</p> | <p><b>IRAM Conformity Certification Mark for the report of product carbon footprint</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the product carbon footprint has been verified and complies with applicable requirements of ISO 14067 on Product Carbon Footprint.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –which number can be found in the verification statement of product carbon footprint- where it says "0000". (Example: RI: 14067 – 012)</li> </ul> <p>Separation between the IRAM mark and the text shall be equal to the height of the font used. The text of the standard must be centered with respect to the mark.</p> <p><u>Application of IRAM Mark:</u><br/>- Green on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</p> |
|---|--|


|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino de Normalización y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>25 out of 34 |


|   |  |
|---|--|
|  <p><b>DECLARACIÓN AMBIENTAL DE PRODUCTO</b></p> <p>RI: 14044 - 0000</p>   | <p><b>IRAM Conformity Certification Mark for the Environmental Product Declaration</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the environmental product declaration has been verified and complies with the applicable requirements of ISO 14044 on Life Cycle Analysis.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –which number can be found in the verification statement of product carbon footprint– where it says "0000". (Example: RI: 14044 - 012).</li> </ul> <p>Separation between the IRAM mark and the text shall be equal to the height of the font used. The text of the standard must be centered with respect to the mark.</p> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- Green on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</li> </ul>   |
|  <p><b>HUELLA DE CARBONO VERIFICADA</b></p> <p>XX g CO<sub>2</sub></p> <p>Expresar UF/unidad declarada</p> <p>RI: 14064 - 0000</p> | <p><b>IRAM Conformity Certification Mark of the report on the organization carbon footprint</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the organization carbon footprint has been verified and complies with the applicable requirements of ISO 14064-1 on GHG.</p> <p>Part 1: Specification with guidance, at the organization level, for the quantification and reporting of greenhouse gas emissions and removals. It is a mark for the organization and not for the product.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –which number can be found in the verification statement of product carbon footprint– where it says "0000". (Example: RI: 14064 – 012).</li> </ul> <p>Separation between the IRAM mark and the text shall be equal to the height of the font used. The text of the standard must be centered with respect to the mark.</p> <ul style="list-style-type: none"> <li>- The amount of CO<sub>2</sub> grams emitted by the functional/declared unit of the product must be specified where it says "XX g".</li> </ul> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- Green on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</li> </ul> |

|  |                               |                             |
|--|-------------------------------|-----------------------------|
|  Instituto Argentino<br>de Normalización<br>y Certificación | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>                                       |                               |                             |
| <b>Revision</b><br>05  | <b>Date</b><br>February 2021  | <b>Page</b><br>26 out of 34 |

#### 5.4.20 IRAM CONFORMITY CERTIFICATION OF GOOD PRACTICES OF AUTOMOTIVE TRANSPORTATION


##### 5.4.20.1 IRAM Conformity Certification of the Good Practices of Automotive Transportation:


|   |  |
|---|--|
| <div style="text-align: center;">  </div> <p style="text-align: center;"> <b>BUENAS<br/>PRÁCTICAS<br/>TRANSPORTE<br/>AUTOMOTOR<br/>DE PASAJEROS</b> </p> <hr style="width: 100%;"/> <p style="text-align: center;">         RI-3810-0000000<br/>         XXXXXXXX       </p> | <p><b>IRAM Conformity Certification of the Good Practices of Automotive Transportation</b></p> <p>Distinctive mark, granted by IRAM, which identifies that the automotive transportation services which are subject to the Certification Document, comply with the applicable standard.</p> <p>The Certified Organization, using font “Arial Bold” or “Bold”, must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –shown in the Certification Document- where it says “RI-3810-00000000”;</li> <li>- the standard name, number and year of validity –as shown in the Certification Document granted- where it says “XXXXXXXX”. (Example: IRAM 3810:2006). Separation between the IRAM mark and the text shall be equal to the height of the font used. The text of the standard must be centered with respect to the mark.</li> </ul> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> </ul> |
|---|--|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>27 out of 34 |

#### 5.4.21 IRAM CERTIFICATION OF CONFORMITY FOR AGRI-FOOD PRODUCTS


##### 5.4.21.1 IRAM Certification of Conformity for Agri-Food Products:


|   |   |
|---|---|
|  <p><b>PRODUCTO<br/>AGRO -<br/>ALIMENTARIO</b></p> <p>DC/QA-00000000</p> <p>XXXXXXXX</p> | <p><b>IRAM Conformity Mark Certification for Agri-Food Products</b></p> <p>Distinctive mark, granted by IRAM, which identifies the Agri-Food products subject to the Certification Document that comply with the applicable standard</p> <p>The Certified Organization, using font “Arial Bold” or “Bold”, must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –as shown in the Certification Document- where it says “DC/QA-00000000”;</li> <li>- the standard name, number and year of validity –as shown in the Certification Document granted- where it says “XXXXXXXX”. (Example: IRAM 314:2015). Separation between the IRAM mark and the text shall be equal to the height of the font used. The text of the standard must be centered with respect to the mark.</li> </ul> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> </ul> |
|---|---|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>28 out of 34 |

#### 5.4.22 IRAM CONFORMITY CERTIFICATION FOR FERTILIZER AND/OR PHYTOSANITARY WAREHOUSES


**5.4.22.1** IRAM Conformity Certification under the Certification Protocol of CIAFA Warehouses (*CIAFA: Cámara de la Industria Argentina de Fertilizantes y Agroquímicos*) (Argentine Chamber of Fertilizers and Agrochemicals):

|  |  |
|--|--|
|  <p><b>DEPÓSITO<br/>CERTIFICADO</b></p> <hr style="width: 100%; border: 1px solid black;"/> <p>DC/QADP 0000000<br/>CIAFA - XXXX</p> | <p><b>IRAM Conformity Certification Mark for Fertilizer and/or Phytosanitary Warehouses</b></p> <p>Distinctive mark, granted by IRAM, which identifies the Fertilizer and/or Phytosanitary Warehouses, subject to the Certification Document, complying with the applicable CIAFA certification protocol on warehouses.</p> <p>The Certified Organization, using font “Arial Bold” or “Bold, must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –which number can be found in the Certification Document– where it says “DC/QADP 00000000”;</li> <li>- the certification level received (Example: “ORO”, “PLATA” or “BRONCE”) -as indicated in the Certification Document granted- where it says “XXXX”. The text shall be equal to the height of the font used. The text must be centered with respect to the mark.</li> </ul> <p><u>Application of IRAM Mark:</u></p> <p>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> |
|--|--|

|   |                                      |                                     |
|---|--------------------------------------|-------------------------------------|
|  <p>Instituto Argentino de Normalización y Certificación</p> | <p><b>CERTIFICATION DIVISION</b></p> | <p><b>DC-PG 129</b></p>             |
| <p><b>Application of Conformity Marks of IRAM Certification for Products, Processes and Servicios</b></p>                                     |                                      |                                     |
| <p><b>Revision</b><br/>05</p>   | <p><b>Date</b><br/>February 2021</p> | <p><b>Page</b><br/>29 out of 34</p> |


**5.4.23 IRAM CERTIFICATION OF CONFORMITY WITH IRAM STANDARD ON NEW FIRE EXTINGUISHERS**

**5.4.23.1 IRAM Conformity Certification for New Fire Extinguishers:**


|  |   |
|--|---|
|  <p>Este matafuego posee el sello IRAM de Conformidad con Norma IRAM por pertenecer a un lote aprobado proveniente de un proceso de fabricación bajo control permanente del:</p> <p><b>INSTITUTO ARGENTINO DE NORMALIZACIÓN Y CERTIFICACIÓN</b></p> <p>ADVERTENCIA: La numeración indicada al margen, identifica al matafuego y al fabricante con Sello IRAM. Cualquier adulteración de esta etiqueta o su colocación en productos no aprobados, puede dar lugar a acciones legales... Ante cualquier duda consulte a IRAM. Peto 3528 Ciudad de Buenos Aires.</p> | <p><b>IRAM Conformity Certification Mark for New Fire Extinguishers as per IRAM Standard</b><br/>(The batch number shown in the image is used only as an example)</p> <p><u>Certification System No. 5</u><br/>Distinctive stamp, granted by IRAM, which identifies the New Fire Extinguisher belonging to an authorized batch coming from a manufacturing process under IRAM permanent control.</p> <p>This stamp, with its exclusive numbering, must be requested to IRAM by the Licensee no less than 30 days prior to its work planning, so as not to generate delays in its commercialization.</p> |
|--|---|

**5.4.24 IRAM CERTIFICATION OF CONFORMITY WITH IRAM STANDARD FOR THE MAINTENANCE, SERVICE AND RECHARGING OF FIRE EXTINGUISHERS**

**5.4.24.1 IRAM Certification of Conformity with IRAM Standard for the Maintenance, Service and Recharging of Fire Extinguishers:**



|  |   |
|--|---|
|  <p>RECARGA SEGURA. TIENE SELLO IRAM SERVICIOS</p> <p>VENCE CARGA</p> <p><b>"DATOS DEL LICENCIATARIO AUTORIZADO"</b></p> <p>Este formato de Sello IRAM está sujeto a la Ley de Normalización y Control de la Marca. Su uso está sujeto a las condiciones de uso establecidas en el presente DOCUMENTO y en el presente Sello IRAM. Ante cualquier duda consulte a IRAM. Peto 3528 Ciudad de Buenos Aires.</p> | <p><b>IRAM Mark of Conformity with IRAM Standard for Maintenance, Service and Recharge of Fire Extinguishers</b></p> <p>Distinctive stamp, granted by IRAM, which identifies the Licensee who performed the maintenance service and recharged the fire extinguishers according to the applicable standard, subject to the Certification Document.</p> <p>The stamps identifying the Licensee who performed the certified service are provided by IRAM. In order to have them printed. The Licensee must send IRAM its trademark to be printed on the stamp in the area where it says "AUTHORIZED LICENSEE DATA" ("DATOS DEL LICENCIATARIO AUTORIZADO").</p> <p>This stamp, with its exclusive numbering, must be requested to IRAM by the Licensee no less than 30 days prior to the work planning, so as not to generate delays in its commercialization.</p> <p>Once the Licensee has paid the stamps requested according to schedule, they must be affixed by the Licensee to each fire extinguisher stating the date (day/month/year) when the service was performed and its expiration date.</p> |
|--|---|




|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>30 out of 34 |

#### 5.4.25 IRAM CERTIFICATION OF CONFORMITY WITH IRAM STANDARD FOR FIXED FIRE-FIGHTING INSTALLATIONS



##### 5.4.25.1 IRAM Certification of Conformity with IRAM Standard for Fixed Fire Fighting Installations:


|   |  |
|---|--|
|  <p><b>INSTALACIONES<br/>FIJAS CONTRA<br/>INCENDIOS</b></p> <hr/> <p>IRAM 3501-3/4<br/>XXXXXXX</p> | <p><b>IRAM Mark of Conformity with IRAM Standard for the Certification of Design and Installation Companies of Fixed Fire Fighting Installations</b></p> <p>Distinctive mark, granted by IRAM, which identifies the Design and Installation Companies certified by IRAM, with the scope and category defined by the specific IRAM Standard.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number –as shown in the Certification Document- where it says "XXXXXX".</li> </ul> <p><u>Application of IRAM Mark:</u><br/>- Red on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</p>  |
|  <p><b>INSTALACIONES<br/>FIJAS CONTRA<br/>INCENDIOS</b></p> <hr/> <p>IRAM 3546<br/>XXXXXXX</p>   | <p><b>IRAM Mark of Conformity with IRAM Standard for the Certification of Companies Responsible for the Maintenance of Fixed Firefighting Installations.</b></p> <p>Distinctive mark, granted by IRAM, which identifies the Companies Responsible for the Maintenance of Fixed Firefighting Installations, certified by IRAM, with the scope and category defined by the specific IRAM Standard.</p> <p>The Certified Organization, using font "Arial Bold" or "Bold", must specify:</p> <ul style="list-style-type: none"> <li>- the certificate number -as shown in the Certification Document- where it says "XXXXXX".</li> </ul> <p><u>Application of IRAM Mark:</u><br/>- Red on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors.</p> |

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>31 out of 34 |

#### 5.4.26 IRAM CERTIFICATION OF CONFORMITY FOR PRODUCTS WHICH USE GAS

**5.4.26.1** IRAM Certification of Conformity for products, devices and accessories of NG (Natural Gas), LPG (Liquefied Petroleum Gas) via pipelines, CNG (Compressed Natural Gas), Plastic Piping and products that are part of the CNG KIT and the Approval Mark established in ENARGAS Resolution No. 56/2019:


|   |   |
|---|---|
|   | <p><b>IRAM Mark of Conformity with a Regulatory Document and ENARGAS Approval Mark of the Argentine Republic</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, which identifies the products under a Regulatory Document together with the Approval Mark of ENARGAS, granted by ENARGAS, pursuant to ENARGAS Resolution No. 56/2019 subject to the Certification Document granted.</p> <p><u>Application of IRAM Conformity Mark:</u></p> <ul style="list-style-type: none"> <li>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> </ul> <p><u>Application of ENARGAS marks:</u></p> <ul style="list-style-type: none"> <li>- positive B/W and negative B/W color versions for any background.</li> </ul> |
|---|---|

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino de Normalización y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>32 out of 34 |

#### 5.4.27 IRAM CERTIFICATION FOR THE OTHER PRODUCTS IN THE REGULATED AREA

**5.4.27.1** IRAM Certification for Products and the Safety Mark of the Argentine Republic granted by the Enforcement Authority according to Resolution No. 799/99 of the Argentine Secretariat of Industry, Commerce and Mining, according to system No. 5 (Conformity Mark) of Mercosur Resolution No. 19/92:


|   |   |
|---|---|
|    | <p><b>IRAM Conformity Mark for Products in compliance with IRAM Standard and Safety Mark of the Argentine Republic</b></p> <p>Distinctive mark, granted by IRAM, which identifies the products under IRAM Standard together with the Safety Mark granted by the Enforcement Authority in accordance with the Resolutions and Provisions subject to the Document Certification granted.</p> <p><u>Application of IRAM Mark:</u></p> <ul style="list-style-type: none"> <li>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> </ul> <p><u>Application of the Safety Mark of the Argentine Republic:</u></p> <ul style="list-style-type: none"> <li>- positive B/W and negative B/W color versions for any background.</li> </ul>  |
|  | <p><b>IRAM Conformity Mark for products in compliance with a Regulatory Document and the Safety Mark of the Argentine Republic</b></p> <p>Distinctive mark, granted by IRAM, which identifies the products under a Regulatory Document together with the Safety Mark granted by the Enforcement Authority in accordance with the Resolutions and Provisions which are subject to the Document Certification granted.</p> <p><u>Application of IRAM Conformity Mark:</u></p> <ul style="list-style-type: none"> <li>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</li> </ul> <p><u>Application of the Safety Mark of the Argentine Republic:</u></p> <ul style="list-style-type: none"> <li>- positive B/W and negative B/W color versions for any background.</li> </ul> |
|  | <p><b>IRAM Conformity Mark for products in compliance with IRAM Standard or a Regulatory Document and the Safety Mark of the Argentine Republic.</b></p> <p>Distinctive mark, granted by IRAM, which identifies the products under IRAM Standard or a Regulatory Document together with the Safety Mark granted by the Enforcement Authority in accordance with the Resolutions and Provisions which are subject to the Document Certification granted.</p> <p><u>Application of IRAM Safety Mark:</u></p> <ul style="list-style-type: none"> <li>- positive B/W and negative B/W color versions for any background.</li> </ul> <p><u>Application of the Safety Mark of the Argentine Republic:</u></p> <ul style="list-style-type: none"> <li>- positive B/W and negative B/W color versions for any background.</li> </ul>  |




|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino de Normalización y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>33 out of 34 |

#### 5.4.28 IRAM CERTIFICATION FOR THE OTHER PRODUCTS IN THE VOLUNTARY FIELD

##### 5.4.28.1 IRAM Certification for products, processes and services under ISO/IEC 17067 Standard, System No. 5 (Conformity Mark) and System 1b (Batch Certification):

|   |  |
|---|--|
|              | <p><b>IRAM Mark of Conformity for products, processes and services of conformity with IRAM Standard</b></p> <p><u>Certification System No. 5</u><br/>Distinctive Mark, granted by IRAM, which identifies the products, processes and services subject to the Certification Document under IRAM Standard.</p> <p><i>The standard and its number (IRAM 3000) must be placed in "XX XXX". The font to write the standard and its number must be "Arial Bold" or "Bold". The separation between the mark and the wording shall be equal to the height of the font used. The text must be centered with respect to the mark.</i></p> <p><u>Application of IRAM Mark:</u><br/>- color (Pantone 308 CVC) on different backgrounds shall be governed by the directives of the institutional logo symbol, with the possibility of applying it in its positive B/W version and negative B/W version for complex backgrounds or non-institutional colors.</p> |
| <p>1-</p>  | <p><b>IRAM Mark for products, processes and services of Conformity with a Regulatory Document</b></p> <p><u>Certification System No. 5</u><br/>Distinctive mark, granted by IRAM, which identifies the products, processes and services subject to the Certification Document, under a regulatory document.</p> <p><i>The standard and its number (example: IRAM-AITAA0010) must be placed in "XX XXX". The font to write the standard and its number must be "Arial Bold" or "Bold". The separation between the mark and the wording shall be equal to the height of the font used. The text must be centered with respect to the mark.</i></p>   |
| <p>2-</p>  | <p><u>Application of IRAM Conformity Mark:</u><br/>There are two possibilities:<br/>1 -color (Pantone 308 CVC) on different backgrounds shall be ruled by the directives of the institutional logo, with the possibility of applying it in its positive B/W and negative B/W versions for complex backgrounds or non-institutional colors;<br/>2- black lines identifying the contour of the logo on a white background, or white ones on a black background.</p>  |
|            | <p><b>IRAM Safety Mark for products, processes and services with IRAM Standard or Regulatory Document</b></p> <p><u>Certification System No. 5</u><br/>Distinctive safety mark, granted by IRAM, which identifies the products, processes and services subject to the Certification Document under an IRAM Standard or a regulatory document.</p> <p><u>Application of IRAM Safety Mark:</u><br/>- positive color B/W version and negative B/W version on any background shall be ruled by the directives of the institutional logo symbol.</p>  |

|   |                               |                             |
|---|-------------------------------|-----------------------------|
|  <p>Instituto Argentino<br/>de Normalización<br/>y Certificación</p> | <b>CERTIFICATION DIVISION</b> | <b>DC-PG 129</b>            |
| <b>Application of Conformity Marks of IRAM Certification for<br/>Products, Processes and Servicios</b>  |                               |                             |
| <b>Revision</b><br>05   | <b>Date</b><br>February 2021  | <b>Page</b><br>34 out of 34 |

|   |   |
|---|---|
|                                      | <p><b>IRAM Stamp of Batch Conformity Certification</b></p> <p><u>Certification System No. 7</u><br/>Distinctive stamp, granted by IRAM, which identifies with a correlative number, the products subject to the Certification Document awarded.</p> <p><i>Each stamp, with its exclusive number, is delivered by IRAM and must be affixed on each certified product. The number of the stamps can be found in the Certification Document as proof of certification.</i></p> |
|                                     | <p><b>IRAM Stamp of Safety Certification for Agricultural Machines</b></p> <p><u>Certification System No. 5</u><br/>Distinctive stamp, granted by IRAM, which identifies with a correlative number the products subject to IRAM Standard of Certification granted.</p> <p><i>Each stamp, with its exclusive number, is delivered by IRAM and must be affixed on each certified product.</i></p>   |
|  <p>IRAM 8075<br/>Licencia N°:</p> | <p><b>IRAM Mark applicable to the Certification of Warning Labels for Agricultural Machines</b></p> <p><u>Certification System No. 5</u><br/>The IRAM mark can be applied on 1 out of 10 products when the product is so small that it is not legible. Another option is to indicate the IRAM mark on a separate label.</p>   |

If you have any questions or need further information, please contact IRAM - Product Certification Division, as indicated below

**E-mail:** certiproducto@iram.org.ar / jogando@iram.org.ar  
**Telephone:** +54 11 5246 0820 / +54 11 5246-0841 / +54 11 4346 0611  
**Website:** www.iram.org.ar